




A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 001	221	10	9	42	72	4+1
SBD or PBD -- 002	240	24	22.6	58	64	4+1
SBD or PBD -- 003	240	10	9	58	63.5	4+1
SBD or PBD -- 004	236	12.7	11.5	41	60	4+3
SBD or PBD -- 005	236	10	9	41	60	4+3
SBD or PBD -- 007	248	12.7	11.4	27	68	4
SBD or PBD -- 008	239	10	9	39	65	4+1
SBD or PBD -- 009	247	10	9	34	66	4+2
SBD or PBD -- 013	239	20	18	43	63.5	4+1
SBD or PBD -- 014	239	10	9	43	63.5	4+1
SBD or PBD -- 015	256	24	22	41	60	4+3
SBD or PBD -- 016	236	20	19	41	60	4+3
SBD or PBD -- 018	213	20.8	19	70.5	55.5	4
SBD or PBD -- 019	240	22	21.2	43	66	4+2
SBD or PBD -- 021	239	12	10	35	65	4+1
SBD or PBD -- 022	265	10	9	27	66	4+2
SBD or PBD -- 024	244	12.7	11.7	27	68.4	4
SBD or PBD -- 027	238	12.7	11.7	47.2	61	4+4
SBD or PBD -- 028	270	14.5	12.5	71	78.5	5
SBD or PBD -- 029	254	14.5	13.5	31.5	78.5	5
SBD or PBD -- 033	231	12.5	11	44	61	4+4
SBD or PBD -- 034	238	8	7	41	61	4+2
SBD or PBD -- 036	257	13	11	46	68	4
SBD or PBD -- 040	246	9.5	8.6	57	55.5	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 042	276	14.3	13.3	53	82.5	5
SBD or PBD -- 044	239	12.7	11.7	29	69	4
SBD or PBD -- 045	262	12.7	11.4	73	69	5
SBD or PBD -- 046	247	20.5	19.5	44.5	66	4+2
SBD or PBD -- 048	263	22	20.4	68	68	5+2
SBD or PBD -- 050	213	9.5	8.5	61	55.5	4
SBD or PBD -- 051	245	20	19	32	68	4
SBD or PBD -- 052	260	24	23	58	64	4+1
SBD or PBD -- 057	258	24	22	58.5	70	5+1
SBD or PBD -- 061	262	21	20	51	64	4+4
SBD or PBD -- 062	273.5	8.7	7.6	45	73	4
SBD or PBD -- 063	260	24	23	53	63.5	4
SBD or PBD -- 065	226	10	8	70	40/52	4
SBD or PBD -- 066	284	22	20.4	76	79	5+2
SBD or PBD -- 067	260	22	20.4	35.5	66	4+1
SBD or PBD -- 070	224	7	6.3	56.5	71	4+2
SBD or PBD -- 071	281	9.5	8.4	73.5	68	5+4
SBD or PBD -- 072	253	10	8.9	33	63.5	5
SBD or PBD -- 073	279	16	15	78	88	5+5
SBD or PBD -- 074	279	9.9	8.5	71.5	67	5+2
SBD or PBD -- 075	278	12.6	10.6	64	80	5+5
SBD or PBD -- 076	284	12	10	46.5	67	5+3
SBD or PBD -- 077	262	11	9	43.5	67	5+3
SBD or PBD -- 078	284	22	19.4	44	67	5+3



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)



D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 082	252.5	24	22	53.5	76	6
SBD or PBD -- 083	238	20	17.7	41	61	4+2
SBD or PBD -- 085	259	20	18	46	61	4+2
SBD or PBD -- 086	262	22	20	70	37/49	5+1
SBD or PBD -- 087	262	22	20	56	68	5+5
SBD or PBD -- 090	287	22	20	56	68	5+5
SBD or PBD -- 091	262	21	19	47	64	4+4
SBD or PBD -- 092	282	21	19	51	64	4+4
SBD or PBD -- 094	257	22	20	46.5	68	4
SBD or PBD -- 097	284	24.2	23.2	60	82.5	5
SBD or PBD -- 100	260	12.6	11.1	35	66	4+1
SBD or PBD -- 1001	280	24	21	61.5	79.5	6
SBD or PBD -- 1002	256	24	22	47	60	5+3
SBD or PBD -- 1003	258	10	8	64	57	5+1
SBD or PBD -- 1004	234	16	15	41	55	4+2
SBD or PBD -- 1005	257.5	24	22	47	55	4+1
SBD or PBD -- 1006	260	10	8	40	55	4+1
SBD or PBD -- 1007	325	25	23	52.5	79	5
SBD or PBD -- 1008	320	22	20	60.7	75	5+1
SBD or PBD -- 1009	314	24	22.4	46	87	6+4
SBD or PBD -- 1010	312	18	16	67	106	6+2
SBD or PBD -- 1011	312	32	30.5	69.5	115	5
SBD or PBD -- 1012	331	18	16	102	110	5+3
SBD or PBD -- 1016	299	10.5	9	67.5	105.6	6+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 102	282	25	23.5	76	79	5+2
SBD or PBD -- 1021	258	24	22	49	72	4+2
SBD or PBD -- 1022	261	10	8	40	72	4+4
SBD or PBD -- 1024	240	7	6	41	61	4
SBD or PBD -- 1026	274	24	22	25	93	6
SBD or PBD -- 1027	232	9	7	39.5	65	4
SBD or PBD -- 1028	300	25	23	47	64	5+4
SBD or PBD -- 1029	260	10	8	48	64	5+4
SBD or PBD -- 1038	211	11	10	41	55	4
SBD or PBD -- 1039	282	25	23	47	64	4+4
SBD or PBD -- 1042	273	24	22	47	72	5+2
SBD or PBD -- 1044	275	24	22.4	46	69	5+2
SBD or PBD -- 1045	284	20	18.4	60	90	5+3
SBD or PBD -- 1047	255	25	23	49	55	5+2
SBD or PBD -- 1048	235	22	20	46	55	4
SBD or PBD -- 1049	323	30	28	60	68	5+1
SBD or PBD -- 105	258	10	8.4	60	62	4+1
SBD or PBD -- 1050	269	22	20	47	68	5
SBD or PBD -- 1051	276	22	19.4	35.5	67	5+1
SBD or PBD -- 1052	258	8	7	55	67	5+1
SBD or PBD -- 1053	280	9	8	38	58	3+1
SBD or PBD -- 1055	260	10	8.4	41	90	5+2
SBD or PBD -- 1057	276	24	22.4	45	68	5+2
SBD or PBD -- 106	255	12.6	11.6	75	63	4+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1062	275	28	26	50.5	62	5+2
SBD or PBD -- 1063	330	32	30	75	67	5+1
SBD or PBD -- 1064	312	28	26	75	67	5+1
SBD or PBD -- 1065	300	11	9.3	58	67	5+1
SBD or PBD -- 1066	300	22	19.4	58	67	5+1
SBD or PBD -- 1069	318	28	26	68	98	5+4
SBD or PBD -- 107	284	10	8.4	61	75	5+2
SBD or PBD -- 1070	299	24	22	75	98	5+4
SBD or PBD -- 1071	286	26	23	50.3	68	5
SBD or PBD -- 1072	305	28	25	50.3	68	5
SBD or PBD -- 1073	288	12	10	65	68	5
SBD or PBD -- 1074	300	26	22	56	68	5+1
SBD or PBD -- 1075	294	13.5	11.5	41	68	5+1
SBD or PBD -- 1076	277	12	10	71	68	5+5
SBD or PBD -- 1077	276	22	19	72.5	73	5
SBD or PBD -- 1078	276	16	13	70	73	5
SBD or PBD -- 1079	276	16	13	70	73	5
SBD or PBD -- 108	245	10	8	59.5	68	4
SBD or PBD -- 1080	332	30	28	62	75	5+1
SBD or PBD -- 1081	324	12	10.4	80	75	5+1
SBD or PBD -- 1086	300	25	23	39.6	70	5
SBD or PBD -- 1087	282	12	10	40	64	5
SBD or PBD -- 1090	284	10	8.4	61	76	5+3
SBD or PBD -- 1092	286	22	20.4	38.6	69	5



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D – Height (mm)
 E – Bore (mm)
 F – Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1093	287	17	15	30	108	5
SBD or PBD -- 1094	242	20	18.4	42.6	57	4+3
SBD or PBD -- 1097	297	25	22	91.5	70	5
SBD or PBD -- 1100	262	9.5	8.4	60.2	90	5
SBD or PBD -- 1101	280	23	21.4	39.2	61	5
SBD or PBD -- 1102	282	28	26	48	64	5
SBD or PBD -- 1105	255	10	8	54	68	5
SBD or PBD -- 1106	240	11	9	41	60	4+3
SBD or PBD -- 1107	240	20	18	41	60	4+3
SBD or PBD -- 1108	260	24	22	41	60	4+3
SBD or PBD -- 1109	260	10	8	64	64.5	4+4
SBD or PBD -- 1112	276	26	24	47.5	69	5+2
SBD or PBD -- 1113	324	30	28.4	74	79	5+1
SBD or PBD -- 1114	276	24.5	22.1	43	82	5
SBD or PBD -- 1115	305	26	24.5	63.5	72	5
SBD or PBD -- 1116	305	10	8.5	75.5	72	5
SBD or PBD -- 1117	247	12	10	44.5	60	4+2
SBD or PBD -- 112	298	14	13	70	101.6	5
SBD or PBD -- 1120	247	9	7.4	36	71	4+2
SBD or PBD -- 1121	283	26	24	48	71	5+2
SBD or PBD -- 1122	309	32	30	43	71	5+2
SBD or PBD -- 1123	290	10	8	51	71	5+3
SBD or PBD -- 1124	275	25	23	49	55	5
SBD or PBD -- 1125	276	22	20.4	44	64	4+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1126	259	10	8.5	44	64	4+1
SBD or PBD -- 1128	282	25	23	45	64	4+4
SBD or PBD -- 1129	276	21	19	52	66	5+2
SBD or PBD -- 113	260	10	9	43	64	4+4
SBD or PBD -- 1130	300	24	22	47	63.5	5
SBD or PBD -- 1131	280	12	10	34	63.5	5
SBD or PBD -- 1132	305	28	25	77.8	90	5
SBD or PBD -- 1133	260.5	10	8	40.5	57	4+4
SBD or PBD -- 1134	276	24	22.4	43	69	4+4
SBD or PBD -- 1135	238	18	16	46	59	4
SBD or PBD -- 1136	305	32	30	47	109	6
SBD or PBD -- 1137	255	20	18	43	55	4+2
SBD or PBD -- 1138	291	12	10.5	68.5	62	5
SBD or PBD -- 1139	257	24	22	45	69	4+2
SBD or PBD -- 1140	303	9	8	63	62	5
SBD or PBD -- 1142	239	9	7	34	65	5+1
SBD or PBD -- 1143	300	28	26	47	70	5+4
SBD or PBD -- 1144	260	10	8	63.7	64	5+4
SBD or PBD -- 1145	278	10	9	45	68	4
SBD or PBD -- 1146	240	10	8.2	41	57	4+1
SBD or PBD -- 1148	276	14	12	62	71	4+2
SBD or PBD -- 1149	239	15	13	34.5	65	4+3
SBD or PBD -- 115	244	20.5	17.7	31.5	61	4+2
SBD or PBD -- 1150	245	10	8	40	68	5+5



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1151	312	25	23	47	68	5+1
SBD or PBD -- 1152	255	12	10	40	68	5+1
SBD or PBD -- 1153	281	28	25.3	38	73.5	5
SBD or PBD -- 1154	302	28	26.5	39	73.5	5
SBD or PBD -- 1155	290	12.5	11.3	56	72	5
SBD or PBD -- 1158	239	18.5	17	42.5	58.5	4
SBD or PBD -- 1159	260	20	18.5	42.5	58.5	4
SBD or PBD -- 116	265	20	17.7	31.5	61	4+2
SBD or PBD -- 1160	273	24	22	48	72	5+1
SBD or PBD -- 1161	345	32	30	76	67	5+1
SBD or PBD -- 1162	315	22	19.4	59	67	5+1
SBD or PBD -- 1163	360	32	30	85	67	5+3
SBD or PBD -- 1164	280	28	26	49	68	5
SBD or PBD -- 1165	305	12	10	67.5	90	5+1
SBD or PBD -- 1166	256	25	23	39.5	65	4
SBD or PBD -- 1167	300	26	23	47	61	5+2
SBD or PBD -- 1168	285	25	22	42	70	5+3
SBD or PBD -- 117	209.5	7.8	7	60	63.5	4
SBD or PBD -- 1171	297	28	26	50	62	5
SBD or PBD -- 1172	256	22	20	48	68	5
SBD or PBD -- 1173	305	28	26	45	59	5+5
SBD or PBD -- 1174	305	28	26	44	61	5+2
SBD or PBD -- 1175	280	24	22	47	61	5+2
SBD or PBD -- 1177	324	28	25	47	61	5



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1179	296	28	26	49.3	62	5+2
SBD or PBD -- 118	251	18	16.6	33.5	80	6
SBD or PBD -- 1181	275	11	9	82	25	4
SBD or PBD -- 1182	260	9	8	49.5	64.5	4+4
SBD or PBD -- 1183	324	28	26	52.7	63.5	4
SBD or PBD -- 1184	280	16	14	82	72	5
SBD or PBD -- 1185	304	24	22	39	58	4+2
SBD or PBD -- 1186	282	23	21	47.2	64	5+4
SBD or PBD -- 1187	282	12	10	58.5	64	5
SBD or PBD -- 1188	278	24	22	47	72	5
SBD or PBD -- 1189	242	19	17	52	63	4
SBD or PBD -- 1190	257	24.5	22.4	47.4	69	4
SBD or PBD -- 1191	235	22	20	46	55	4
SBD or PBD -- 1193	300	22	20	58	90	5
SBD or PBD -- 1194	274	24	22	25	93	6
SBD or PBD -- 1196	300	22	20	72	94	6+2
SBD or PBD -- 1197	280	28	26	49.2	68	5
SBD or PBD -- 1198	280	28	26	49	68	5
SBD or PBD -- 1199	292	16	14	62	68	5
SBD or PBD -- 120	257	12	10.2	40	59	4+2
SBD or PBD -- 1202	326	30	28	52.8	58	5+2
SBD or PBD -- 1203	316	20	18	68.5	58	5+2
SBD or PBD -- 1204	266	10	8.5	68	58	5
SBD or PBD -- 1205	275	28	26	50.7	55	5



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1206	288	10	8	64.8	55	5+3
SBD or PBD -- 1207	255	25	23	49.3	55	4+2
SBD or PBD -- 1208	255	25	23	49.3	55	4
SBD or PBD -- 1209	275	25	23	49.3	55	4
SBD or PBD -- 121	266	20.4	18.4	27	66	4+2
SBD or PBD -- 1210	263	16	14.5	41	55	4+2
SBD or PBD -- 1211	275	25	23	49.2	62	5
SBD or PBD -- 1213	310	22	20	29.1	108	5
SBD or PBD -- 1214	300	24	22	44.5	63.5	4
SBD or PBD -- 1216	276	10	9	45.7	59	5
SBD or PBD -- 1217	324	30	28.4	81	79	5
SBD or PBD -- 1218	324	20	18.4	65	79	5+1
SBD or PBD -- 1219	348	30	28.4	81	79	5+1
SBD or PBD -- 1220	345	24	22.4	67	79	5+1
SBD or PBD -- 1221	285	28	26	43.7	59	5
SBD or PBD -- 1222	272	12	11	28	59	5
SBD or PBD -- 1223	280	10	8.9	33	63.5	4
SBD or PBD -- 1225	239	21	19	39	61	4
SBD or PBD -- 1226	280	26.3	24	49	72	4
SBD or PBD -- 1227	281	22	20	49.3	59	5
SBD or PBD -- 1229	278	10	8	45	68	5
SBD or PBD -- 1230	260	22	19.8	44	61	4+2
SBD or PBD -- 1231	305	28	26	49.5	72	5
SBD or PBD -- 1233	330	32	30	69	85	5



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D – Height (mm)
 E – Bore (mm)
 F – Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1234	350	34	32	69	85	5
SBD or PBD -- 1235	330	28	26	74	85	5
SBD or PBD -- 1236	336	30	27	51.5	68	5
SBD or PBD -- 1237	316	28	25	50.5	68	5
SBD or PBD -- 1238	308	20	18	65	68	5
SBD or PBD -- 1239	295	28	25.4	54.5	67	5
SBD or PBD -- 1240	312	28	25.4	64	67	5
SBD or PBD -- 1241	300	10	8	65	67	5
SBD or PBD -- 1242	300	22	19.4	65.3	67	5
SBD or PBD -- 1244	278	24	22	44.5	63.5	5
SBD or PBD -- 1245	302	28	26	54.5	96	5+2
SBD or PBD -- 1246	315	20	18	88	96	5+3
SBD or PBD -- 1247	239	18	16	35	65	5+1
SBD or PBD -- 1248	270	22	19	35.5	67	5
SBD or PBD -- 1249	294	26	24	47.2	69	5+2
SBD or PBD -- 1250	280	26	24	48	69	5
SBD or PBD -- 1251	258	10	8.5	45	76	5
SBD or PBD -- 1252	258	24	22	47	68	4
SBD or PBD -- 1253	288	10	9	60	62	5
SBD or PBD -- 1254	319	28	26	49	62	5
SBD or PBD -- 1255	288	10	9	70	62	5+1
SBD or PBD -- 1257	280	16	14	82	72	5
SBD or PBD -- 1259	280	22	20	42.3	68	10
SBD or PBD -- 126	247	20.5	18.5	34	66	4+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)



D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1260	360	34	31	60	68	10
SBD or PBD -- 1261	310	22	20	42.3	68	5+2
SBD or PBD -- 1262	310	24	22	77	79	5
SBD or PBD -- 1263	324	30	28	77	79	5
SBD or PBD -- 1264	320	20	18	63	75	5
SBD or PBD -- 1266	370	24	22.4	67	79	5
SBD or PBD -- 1267	278	11	9	54	63.5	5
SBD or PBD -- 1268	283	25	23	49	72	5
SBD or PBD -- 1269	280	10	8	40	72	5
SBD or PBD -- 1270	345	30	28	46.5	67	5
SBD or PBD -- 1271	330	32	30	65	67	5
SBD or PBD -- 1273	330	26	24	68	67	5
SBD or PBD -- 1274	360	36	34	76	67	5+1
SBD or PBD -- 1275	330	26	24	61	67	5
SBD or PBD -- 1276	330	26	24	58	-	5
SBD or PBD -- 1277	312	28	26	64.5	-	5
SBD or PBD -- 1278	330	32	30	64.5	-	5
SBD or PBD -- 1279	253	17	15	49	60	4
SBD or PBD -- 1280	280	25	22	42	60	4
SBD or PBD -- 1281	264	10	8	42	57	4
SBD or PBD -- 1282	314	28	25	45	70	5+3
SBD or PBD -- 1286	279	9	8	56	55	4+3
SBD or PBD -- 1287	258	9	8	56	55	4+3
SBD or PBD -- 1288	256	12	10	50	65	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1289	307.5	29.5	25.5	55.5	76	5+1
SBD or PBD -- 129	238	8	7	29	57	3+1
SBD or PBD -- 1290	333	32.5	28.5	56	76	5+1
SBD or PBD -- 1291	294	22	19.5	44.5	76	5+1
SBD or PBD -- 1292	288	25	22	50	65	5+1
SBD or PBD -- 1293	280	22	19	50	65	5+1
SBD or PBD -- 1294	255	10	8	51	65	5+1
SBD or PBD -- 1295	314	22	18	75.5	76	5
SBD or PBD -- 1297	265	11	9	41	63.5	5
SBD or PBD -- 1298	280	11	9	41	63.5	5
SBD or PBD -- 1299	274	11	9.5	82.2	30	5
SBD or PBD -- 130	238	10	9	29	57	3+1
SBD or PBD -- 1300	310	32	30	43.5	59	5
SBD or PBD -- 1302	284	22	20.4	73	79	5+1
SBD or PBD -- 1303	292	22	20.4	73	79	5+1
SBD or PBD -- 1304	300	20	18.4	66.5	75	5+1
SBD or PBD -- 1305	325	25	23	35	64.2	5
SBD or PBD -- 1306	276	19	16.4	62	64.2	5
SBD or PBD -- 1307	250	18	17	47	56	4+3
SBD or PBD -- 1308	275	25	23	50.7	55	5
SBD or PBD -- 1309	271	10	9	61	55	5+2
SBD or PBD -- 131	256	20	18	41	68	4
SBD or PBD -- 1310	275	24	22	63	88.5	5
SBD or PBD -- 1311	280	16	14	82	79	5+5



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1312	289	28	26	70	98	6
SBD or PBD -- 1313	288	28	26	44	61	5+2
SBD or PBD -- 1315	290	12	10	35	71	5+2
SBD or PBD -- 1317	330	30	28	48.5	71	5+2
SBD or PBD -- 1318	350	20	18.5	59	79	5+2
SBD or PBD -- 1319	338	30	27	62.5	79	5+1
SBD or PBD -- 132	256	16	13.5	64	73	5+5
SBD or PBD -- 1320	278	25	23	48.5	72	5
SBD or PBD -- 1321	300	25	23	48.5	72	5
SBD or PBD -- 1322	300	24	21.8	44	61	4+2
SBD or PBD -- 1323	277	26	24	49.5	55	5+2
SBD or PBD -- 1324	295	26	24	49.5	55	5+2
SBD or PBD -- 1325	280	10	9	56	55	5+3
SBD or PBD -- 1330	345	30	28	50	65	5+1
SBD or PBD -- 1332	325	25	23	62	75	5
SBD or PBD -- 1334	320	22	20	80	75	5
SBD or PBD -- 1336	300	25	23	47	64	5
SBD or PBD -- 1337	260	10	8.5	49	64	5
SBD or PBD -- 1338	234	18	16	51	63	4
SBD or PBD -- 1339	255	19	17	48	62	4
SBD or PBD -- 134	270	10	8	67	65.5	5+2
SBD or PBD -- 1340	262	10	8	64	62.5	4+3
SBD or PBD -- 1341	288	28	26.5	65	72	5
SBD or PBD -- 1342	241	18	16	49	62	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1343	234	10	8	37.5	62.5	4
SBD or PBD -- 1344	317	30	28	62	79	5
SBD or PBD -- 1345	300	28	25.2	59	67	5
SBD or PBD -- 1346	296	10	8	57	67	5
SBD or PBD -- 1347	308	28	26	47	61	5
SBD or PBD -- 1348	257	17	15	50	60	4
SBD or PBD -- 1349	338	28	26	68	108	6
SBD or PBD -- 1353	312	25	23	50	65	5+1
SBD or PBD -- 1354	282	12	10	48	65	5+1
SBD or PBD -- 1355	290	18	16	68	58	5
SBD or PBD -- 1357	252	20	18	45	61	4+2
SBD or PBD -- 1358	280	25	22	42	60	4+2
SBD or PBD -- 1361	280	10	8.4	65.5	75	5+1
SBD or PBD -- 1362	330	24	21	73	79	5+1
SBD or PBD -- 1363	298	14	13	59	101	5+5
SBD or PBD -- 1364	274	11	9.5	82.2	30	5
SBD or PBD -- 1365	282	9	7.5	59	64	5
SBD or PBD -- 1366	247	20	18	35.5	55	4
SBD or PBD -- 1367	323	24	22	45.5	72	5
SBD or PBD -- 1368	260	23	21	45	64	4+4
SBD or PBD -- 1369	257	22	20	40.5	60	4+4
SBD or PBD -- 1371	284	22	20	43.3	60	4+4
SBD or PBD -- 1372	240	10	8	60	55	4+2
SBD or PBD -- 1373	280	25	23	47	64	5



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1374	231	17	15	44.5	60	4
SBD or PBD -- 1375	356	36	34	62	75	5+1
SBD or PBD -- 1378	278	12	11	43.5	70	5
SBD or PBD -- 1379	314	25	23	60	68	5
SBD or PBD -- 138	261	10	8	82	40/52	4+1
SBD or PBD -- 1380	321	30	28	60	68	5
SBD or PBD -- 1381	302	12	11	50	68	5+1
SBD or PBD -- 1382	300	24	22	73.5	79	5+1
SBD or PBD -- 1384	279	25	23	45	63.5	4
SBD or PBD -- 1385	280	10	8.5	42.5	63.5	4
SBD or PBD -- 1387	300	28	26	54.5	93	5
SBD or PBD -- 1388	280	28	26	54.5	93	5
SBD or PBD -- 1389	286	20	18	61	68.5	5
SBD or PBD -- 139	270	10	8.5	77	57	4+3
SBD or PBD -- 1390	281	9	8	61	64	5
SBD or PBD -- 1393	241	19	17	48	62	4
SBD or PBD -- 1394	280	27	25.4	43	87	6
SBD or PBD -- 1395	275	26	24	47.5	69	4
SBD or PBD -- 1396	254	24	22	50.5	55	4
SBD or PBD -- 1397	345	30	28	76	79	5
SBD or PBD -- 1398	276	12	10	44.5	67	5
SBD or PBD -- 1399	276	22	20	44.5	67	5
SBD or PBD -- 140	240	12	11	45	61	4+2
SBD or PBD -- 1400	256	24	22	45.5	69	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1401	300	28	26	38	100	6
SBD or PBD -- 1404	326	30	28	52.8	58	5+2
SBD or PBD -- 1405	252	20	18	40	60	4
SBD or PBD -- 1407	316	20	18	68.5	58	5+2
SBD or PBD -- 1408	274	26	24	49	72	5+2
SBD or PBD -- 1409	294	24	22	70.5	80	5+1
SBD or PBD -- 141	240	18	16	46	61	4+2
SBD or PBD -- 1410	320	28	26	38	68	6
SBD or PBD -- 1412	336	22	20.5	67	75	5+1
SBD or PBD -- 1413	280	12	10	102	35	5
SBD or PBD -- 1414	325	20	18.5	59.5	79	5+2
SBD or PBD -- 1415	320	30	28	43	71	5
SBD or PBD -- 1417	290	10	8.5	67	58	5
SBD or PBD -- 1418	300	11	9.5	82	52/61	5
SBD or PBD -- 1419	280	16	14	69	96	5
SBD or PBD -- 1420	280	16	14	16.3	107.5	10
SBD or PBD -- 1421	300	28	25	68.5	85	6+1
SBD or PBD -- 1422	298	16	14	71	85	6+1
SBD or PBD -- 1423	303	28	25	93	120	6
SBD or PBD -- 1424	354	12	10	75	79	5
SBD or PBD -- 1426	262	21	19	47	64	5+4
SBD or PBD -- 1427	280	22	20.4	44	64	4+1
SBD or PBD -- 1428	259	10	8.4	44	64	4+1
SBD or PBD -- 1429	300	28	26	52	63.5	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)



D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1430	302	11	9.5	51	63.5	5+1
SBD or PBD -- 1431	270	22	20	46	55	4+1
SBD or PBD -- 1433	303	28	25	43	87	6
SBD or PBD -- 1434	290	22	19	110	64	6
SBD or PBD -- 1435	291	25	23	66	100	6
SBD or PBD -- 1436	231	20	18	41	66	4+4
SBD or PBD -- 1438	303	28	26	48	71	5+3
SBD or PBD -- 1439	280	28	26	48	71	5+3
SBD or PBD -- 1440	290	14	12	49	71	5+2
SBD or PBD -- 1441	280	28	26	69.5	73	5+5
SBD or PBD -- 1442	280	16	14	80	72	5+5
SBD or PBD -- 1443	280	16	14	80	79	5+5
SBD or PBD -- 1444	280	22	20	47	62	5+4
SBD or PBD -- 1445	258	21	19	39	64	4+4
SBD or PBD -- 1446	256	22	20	47	62	4+2
SBD or PBD -- 1447	300	28	26	54	96	6+2
SBD or PBD -- 1448	324	12	10	69.5	96	6+3
SBD or PBD -- 1449	280	12	10	45	61	4+2
SBD or PBD -- 1450	300	26	24	44	61	5+2
SBD or PBD -- 1451	300	20	18.5	69	65.5	5+3
SBD or PBD -- 1452	258	22	20	46	55	4+2
SBD or PBD -- 1453	278	9	8	25	55	4+2
SBD or PBD -- 1454	290	10	8.5	57	62	5+3
SBD or PBD -- 1455	296	28	26	50	62	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1456	281	12	10.5	55	62	5+3
SBD or PBD -- 1457	278	26	24	43	70	5+3
SBD or PBD -- 1458	280	10	8.5	75	75	5+1
SBD or PBD -- 1459	294	19	17.5	75	75	5+1
SBD or PBD -- 1460	294	26	24	32.5	88	6
SBD or PBD -- 1462	258	10.6	9.5	57.5	60	4+2
SBD or PBD -- 1463	316	28	26	52	63.5	5+1
SBD or PBD -- 1464	260	9	8	42	64	5+4
SBD or PBD -- 1465	304	9	8	61	64	5+5
SBD or PBD -- 1468	280	26	24	47.5	69	4+2
SBD or PBD -- 1469	258	8	7	57	67	5+1
SBD or PBD -- 147	244	7	6.3	47	86	3+3
SBD or PBD -- 1471	310	22	20	49	65	5+1
SBD or PBD -- 1473	302	12	10.5	66	63.5	5+2
SBD or PBD -- 1474	302	20	18	66	63.5	5+2
SBD or PBD -- 1475	354	20	18	75	79	5+2
SBD or PBD -- 1476	320	28	26	49	68	5+1
SBD or PBD -- 1477	308	16	14.5	62	68	5+1
SBD or PBD -- 148	260	20	18	54	58	5+2
SBD or PBD -- 1480	360	30	28	61	79	5+1
SBD or PBD -- 1481	264	10	8	40.5	60	4+4
SBD or PBD -- 1482	288	25	23	44.5	67	5+1
SBD or PBD -- 1483	330	32	30	45	59	5+1
SBD or PBD -- 1484	257	12	10	40.5	60	4+2



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1485	290	22	20	45	72	5+3
SBD or PBD -- 1486	345	28	26	55	72.5	5
SBD or PBD -- 1488	296	26	24	44	68	5
SBD or PBD -- 1489	291	9	7.5	62	68	5+1
SBD or PBD -- 149	281	20	18	81	91	5+1
SBD or PBD -- 1490	323	28	26	34	65	5+5
SBD or PBD -- 150	282.5	20.5	19.1	35	107	5
SBD or PBD -- 1500	274	11	9	82	30	4
SBD or PBD -- 1501	250	22	20	50	68	5+2
SBD or PBD -- 1502	262	10	8.5	61	76	4+3
SBD or PBD -- 1506	258	23	21	44	63	4
SBD or PBD -- 1507	239	9	8	47.65	61	4+4
SBD or PBD -- 1508	326	30	28	46.15	71	5
SBD or PBD -- 1509	258	23	21	44	55.04	4+1
SBD or PBD -- 151	257	13	11.5	84	40/52	4
SBD or PBD -- 1513	258	10	8	41.5	76	4
SBD or PBD -- 1514	250	10	8	38.5	69	4
SBD or PBD -- 1515	238	8	7	75	25	4
SBD or PBD -- 1516	326	20	18	36	64.5	5
SBD or PBD -- 1517	320	30	28	52.1	68	5+1
SBD or PBD -- 1518	345	30	28	51.8	68	5+1
SBD or PBD -- 1519	300	12	10	36.2	68	5+1
SBD or PBD -- 152	289	20	18.7	71	103	5+5
SBD or PBD -- 1520	330	22	20	36.2	68	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1521	288	12	10	35.8	68	5+1
SBD or PBD -- 1522	276.0	28.0	26	58	72	5
SBD or PBD -- 1523	286.0	18.0	16	57	72	5+1
SBD or PBD -- 1524	332	30	28.4	62	75	5+1
SBD or PBD -- 1525	348	30	28.4	62	75	5+1
SBD or PBD -- 1526	365	36	34.4	62	75	5+1
SBD or PBD -- 1527	320	20	18.4	78.5	75	5+1
SBD or PBD -- 1528	345	24	22.4	78.5	75	5+1
SBD or PBD -- 1530	348	30	28	73	79	5+1
SBD or PBD -- 1532	300	32	30	74	80	5+2
SBD or PBD -- 1533	300	16	14	80	79	5+5
SBD or PBD -- 1534	259	12	10.6	41	61	4+2
SBD or PBD -- 1535	290	28	25	46	64	9
SBD or PBD -- 1536	300	28	25	74.4	78	6+1
SBD or PBD -- 1537	294	24	21	87.6	84	8
SBD or PBD -- 1539	312	28	26	63	61	5+2
SBD or PBD -- 1541	262	10	8.4	61.1	76	5+3
SBD or PBD -- 1542	321	28	26.4	49.1	69	5+2
SBD or PBD -- 1543	302	11	9.4	71.5	59	5+3
SBD or PBD -- 1544	300	28	26	47	69	5+2
SBD or PBD -- 1545	284	10	8	54	76	5+3
SBD or PBD -- 1549	330	24	22.4	73.2	79	5+1
SBD or PBD -- 155	302	11.8	10.4	76	79	5+2
SBD or PBD -- 1550	288	25	22.4	64.5	67	5+1



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1551	295	28	26	64.5	67	5+1
SBD or PBD -- 1552	295	28	26	64.5	67	5+1
SBD or PBD -- 1553	278	9	7.3	49	67	5+1
SBD or PBD -- 1554	300	10	8.3	49	67	5+1
SBD or PBD -- 1555	294	22	20.4	44	64	4+1
SBD or PBD -- 1556	276	26	24.4	45.5	69	4+2
SBD or PBD -- 1557	254	24	22	40	87	6
SBD or PBD -- 1558	295	28	26	46.5	93.5	6
SBD or PBD -- 1559	324	30	28	49	68	5
SBD or PBD -- 156	302	21.9	20.4	76	79	5+2
SBD or PBD -- 1560	322	22	20	61	68	5
SBD or PBD -- 1562	320	25	23	46	72	5+3
SBD or PBD -- 1564	314	11	9	41	72	5+3
SBD or PBD -- 1568	295	25	23	49	62	5+2
SBD or PBD -- 1569	273	26	24	49.2	62	5+2
SBD or PBD -- 157	236	12.6	10.5	45.5	62	4+1
SBD or PBD -- 1570	270	10	8	33.7	62	5+2
SBD or PBD -- 1571	280	10	9	59	62	5+3
SBD or PBD -- 1575	302	11	9	40.7	63.6	5+1
SBD or PBD -- 1576	296	28	26	50	62	5+2
SBD or PBD -- 1577	262	10	8.4	61	76	5+3
SBD or PBD -- 1578	278	24	22	72	72	5+1
SBD or PBD -- 1579	296	30	28	51	67	5+1
SBD or PBD -- 1580	292	12	10.5	48	67	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1581	321	30	28	51	67	5+1
SBD or PBD -- 1582	274	28	26	51	72	5+2
SBD or PBD -- 1583	314	25	23	52.4	68	5+1
SBD or PBD -- 1584	280	27	25.6	40	88	6
SBD or PBD -- 1587	340	30	28	34.3	71	4+2
SBD or PBD -- 1588	260	22	20	43.9	61	4
SBD or PBD -- 1589	320	28	25	50	68	5
SBD or PBD -- 159	256	20	18	38.5	65	4+1
SBD or PBD -- 1590	348	30	28.4	77	79	5+1
SBD or PBD -- 1591	345	24	22.4	63	75	5+1
SBD or PBD -- 1592	324	22	20	77	79	5+1
SBD or PBD -- 1593	324	20	18	80	75	5+1
SBD or PBD -- 1594	284	22	19	72	85	5+1
SBD or PBD -- 1595	292	22	20	43.2	70	5+5
SBD or PBD -- 1596	334	32	30	35	65	5+5
SBD or PBD -- 1597	340	30	28	50	65	5+1
SBD or PBD -- 1598	286	12	10	58.4	65	5
SBD or PBD -- 1599	310	22	20	58.6	65	5
SBD or PBD -- 1600	302	11	9	41	72	5
SBD or PBD -- 1601	293	28	26	47.5	64	5+4
SBD or PBD -- 1602	302	10	8	61	64	5+5
SBD or PBD -- 1604	308	18	16	63	68	6+1
SBD or PBD -- 1605	280	25	22.4	52.2	67	5+1
SBD or PBD -- 1606	274	10	8.5	65.5	58	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1607	294	26	24	46	69	5
SBD or PBD -- 1608	262	10	8	60	80	5+1
SBD or PBD -- 1610	275	22	19	46	55	4+2
SBD or PBD -- 1611	268	12	10.5	74	30	4
SBD or PBD -- 1612	296	25	23	47	64	5+4
SBD or PBD -- 1613	282	9	7	48	64	5+4
SBD or PBD -- 1614	305	9	7	57	70	5+4
SBD or PBD -- 1615	262	21	19	44	64	4+4
SBD or PBD -- 1616	239	9	7	33	61	4+4
SBD or PBD -- 1617	296	16	14	70	76	6
SBD or PBD -- 1620	315	20	18	88	96	5+3
SBD or PBD -- 1621	291	10	8.5	61	62	5+3
SBD or PBD -- 1622	302	18	16	45	72	5+1
SBD or PBD -- 1623	249	9	7.5	74	30	4
SBD or PBD -- 1624	299	24	22	68	98	5+4
SBD or PBD -- 1627	290	26	23	53	80	6
SBD or PBD -- 1628	306	22	20	136.5	178	6
SBD or PBD -- 1629	337	30	28	51	67	5+1
SBD or PBD -- 1630	315	23	21	48	67	5+1
SBD or PBD -- 1631	276	10	8	35	55	4
SBD or PBD -- 1632	315	20	18	87	108	6+3
SBD or PBD -- 1633	330	28	26	46.5	67	5+2
SBD or PBD -- 1634	254	22	20	50	55	5+2
SBD or PBD -- 1635	275	22	19	46.3	62	5+2



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E – Bore (mm)
 F – Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1636	259	9	7.5	30.5	62	5+2
SBD or PBD -- 1637	280	9.6	8	38	58	3+1
SBD or PBD -- 1638	296	26	23.4	44	68	5+2
SBD or PBD -- 1639	255	22	19	46	55	4+2
SBD or PBD -- 164	240	12	10.8	47	59	4+2
SBD or PBD -- 1640	240	8	7	80.5	25	4
SBD or PBD -- 1642	249	9	8	67.5	25	4
SBD or PBD -- 1643	270	10	8.5	82	25.0	4
SBD or PBD -- 1644	300	11	9.5	82	30	5
SBD or PBD -- 1650	285	12	11	59.5	72	5
SBD or PBD -- 1651	276	26	24	46	60	5+1
SBD or PBD -- 1652	268	12	10	46	60	5+1
SBD or PBD -- 1653	300	26	24	46	71	5+1
SBD or PBD -- 1654	292	12	10	46	71	5+1
SBD or PBD -- 1665	345	30	28	47	68	5+1
SBD or PBD -- 1666	300	22	20	36	68	5+1
SBD or PBD -- 1667	358	28	26	74	85	5+2
SBD or PBD -- 1668	314	30	27	48.6	64.9	5
SBD or PBD -- 1669	280	24	22	44	68	5+2
SBD or PBD -- 1670	295	28	25.4	51.1	67	5+1
SBD or PBD -- 1671	262	10	8.4	45	76	5+2
SBD or PBD -- 1672	321	30	27	45.6	70.7	5+1
SBD or PBD -- 1675	278	24	22	47	60	4+1
SBD or PBD -- 1676	276	12	10	58	60	4+2



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1677	302	28	26	38	72.5	5
SBD or PBD -- 168	242	19	17	50	61	4+4
SBD or PBD -- 1680	246	17	16	41	55	4+2
SBD or PBD -- 1684	300	25	23	47.2	64	5+4
SBD or PBD -- 1685	260	9	7	32	61	4
SBD or PBD -- 1686	252	18	16	48.8	62.5	4+2
SBD or PBD -- 1687	256	18	16	46.8	62.1	4+2
SBD or PBD -- 1688	300	30	28	52.5	96.3	6+2
SBD or PBD -- 1689	324	18	16	82.5	96.3	6+2
SBD or PBD -- 1690	328	30	28	53	72	5
SBD or PBD -- 1691	320	14	13	66.4	72	5
SBD or PBD -- 1693	316	12	10.4	68.5	72.1	5
SBD or PBD -- 1694	258	10	8.3	41	77	5
SBD or PBD -- 1695	310	18	16.5	67	62	5+3
SBD or PBD -- 1696	296	28	26	48.3	72	5+3
SBD or PBD -- 1697	320	28	26	48.2	72	5+3
SBD or PBD -- 1698	302	18	16	56.8	72	5+3
SBD or PBD -- 1699	320	25	23	48.5	72	5
SBD or PBD -- 170	242	19	17	45	60	4+4
SBD or PBD -- 1700	299	25	23	48.5	72	5+3
SBD or PBD -- 1701	330	32	29.4	54.7	67	5+3
SBD or PBD -- 1702	350	32	29.4	54.7	67	5+3
SBD or PBD -- 1703	330	14	11.4	62.9	67	5+1
SBD or PBD -- 1704	330	22	19.4	62.8	67	5+1



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1706	276	26	24	45.6	69	5
SBD or PBD -- 1707	270	11	9	42.4	63.4	5
SBD or PBD -- 1708	262	10	8	60.1	80	5+1
SBD or PBD -- 1709	302	10	8.4	58.7	80	5+3
SBD or PBD -- 1710	280	24	22.5	44	68	4
SBD or PBD -- 1711	291	9	7.6	62.1	68.1	4+1
SBD or PBD -- 1712	231	20	18	51.4	60	4+2
SBD or PBD -- 1713	302	26	24	34.2	66	4+2
SBD or PBD -- 1714	257	22	20	43.8	61.1	4+2
SBD or PBD -- 1715	280	24	21.8	44	61	5+2
SBD or PBD -- 1716	274	11	9.5	88.2	30	5
SBD or PBD -- 1717	294	28	26	56.4	85	5+2
SBD or PBD -- 1721	286	10	8.5	63.4	58	5+3
SBD or PBD -- 1722	308	16	14	57	62	5+3
SBD or PBD -- 1723	255	20	18	46.3	55	4+2
SBD or PBD -- 1724	259	9	7.5	30.3	55	4+2
SBD or PBD -- 1725	275	22	20	46.3	55	5+2
SBD or PBD -- 1726	259	9	7.5	40.8	55.1	5+2
SBD or PBD -- 1728	295	26	24	49.3	62	5+2
SBD or PBD -- 1729	320	26	23	49.3	62	5+2
SBD or PBD -- 173	279	22	20.8	58	61	5+2
SBD or PBD -- 1730	297	11	9	58.3	62	5+3
SBD or PBD -- 1731	290	11	9	33.8	62	5+2
SBD or PBD -- 1732	255	28	26	58.6	62	5+2



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1733	297	25	23	67.3	108	6+2
SBD or PBD -- 1734	318	28	26	67.2	108	6+2
SBD or PBD -- 1736	335	22	20	42.4	68	5+2
SBD or PBD -- 1737	264	10	8	42	70	5
SBD or PBD -- 1738	236	20	17	41	59	4+3
SBD or PBD -- 1741	360	30	27	81	79	5
SBD or PBD -- 1742	320	28	26	44	68	5+2
SBD or PBD -- 1743	255	25	22	49.3	55	5+2
SBD or PBD -- 1744	259	9	8	30.4	55	5+2
SBD or PBD -- 1745	278	25	23	48.5	63.5	5
SBD or PBD -- 1746	316	30	28	57	58	5+2
SBD or PBD -- 1747	312	24	22	73	79	5+1
SBD or PBD -- 1749	276	18	15	60	67	5+1
SBD or PBD -- 1750	302	12	10	70	63.5	5+1
SBD or PBD -- 1752	336	28	26	52	63.5	5+1
SBD or PBD -- 1753	300	28	26	47.5	69	5+2
SBD or PBD -- 1754	300	22	19.4	49	67	5+1
SBD or PBD -- 1755	322	32	30	64.5	67	5+1
SBD or PBD -- 1756	322	32	30	64.5	67	5+1
SBD or PBD -- 1757	320	28	26	44	68	5
SBD or PBD -- 1758	280	22	20	47	62	5+2
SBD or PBD -- 1759	278	9	8	43.4	62	5+2
SBD or PBD -- 176	276	25	23	46	68	5
SBD or PBD -- 1760	328	30	28	52	63.4	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1761	302	22	20	50.9	63.5	5+1
SBD or PBD -- 1762	300	20	18.4	66	75	5+1
SBD or PBD -- 1763	251	10	9	40.7	59	4+4
SBD or PBD -- 1764	305	28	26	44.8	59	4+4
SBD or PBD -- 1765	301	30	27	59	83	9
SBD or PBD -- 1766	338	32	29	68.6	107.9	6
SBD or PBD -- 1767	303	28	26	56.9	76	5
SBD or PBD -- 1768	302	28	26	69.9	90	5+1
SBD or PBD -- 1769	305	12	10	71.5	85	5+1
SBD or PBD -- 1770	305	12	10	71.5	91	5+1
SBD or PBD -- 1771	275	10	9	61.5	76	5+3
SBD or PBD -- 1772	300	11	10	81.7	30	5
SBD or PBD -- 1773	274	11	9	86.2	30	5
SBD or PBD -- 1774	260	8	6	86.3	25	5
SBD or PBD -- 1775	278	10	8	42	65.5	5+3
SBD or PBD -- 1776	276	20	18	40	62	5
SBD or PBD -- 1777	260	8	6	86.3	30	5
SBD or PBD -- 1778	270	10	8	80.7	25	5
SBD or PBD -- 1779	300	11	10	101.8	30	5
SBD or PBD -- 178	278	13	11	119	68/45	5+1
SBD or PBD -- 1780	280	24	21.8	44	61	5+2
SBD or PBD -- 1781	300	11	10	103.5	30	5
SBD or PBD -- 1782	300	11	10	103.5	25	5
SBD or PBD -- 1783	290	11	9.5	90.1	30	5



A – Diameter (mm)
 B – Thickness (mm)
 C – Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1784	280	11	9	52.4	63.4	5
SBD or PBD -- 1785	305	28	26	45.7	59	5+5
SBD or PBD -- 1786	320	30	28	53.8	67.9	5+1
SBD or PBD -- 1787	284	10	9	26.5	75.7	5+2
SBD or PBD -- 1788	320	28	26.4	49	68.9	5+2
SBD or PBD -- 1789	300	10	9	26.5	75.7	5+2
SBD or PBD -- 179	258	16	13	95	68/45	5
SBD or PBD -- 1790	304	28	26	48.1	71	5+3
SBD or PBD -- 1791	257	12	10	40.5	59	4+2
SBD or PBD -- 1792	256	22	19	38.3	64.9	4+1
SBD or PBD -- 1793	272	9.7	8	48.2	65	5+1
SBD or PBD -- 1794	290	10	9	46	108	5+2
SBD or PBD -- 1795	288	33	30	55.5	93	5
SBD or PBD -- 1796	288	16	13	68.8	96	5
SBD or PBD -- 1797	280	24	22	44	68	5
SBD or PBD -- 1798	238	8	7	75	25	4
SBD or PBD -- 1799	320	32	30	47	64	5+4
SBD or PBD -- 180	259	12	10.5	40	61	4+3
SBD or PBD -- 1800	332	28	26	56.8	94	6+2
SBD or PBD -- 1801	332	18	16	75.2	93.4	6+3
SBD or PBD -- 1802	256	22	20	40	60	4
SBD or PBD -- 1803	365	20	17	75	79	5
SBD or PBD -- 1804	260	9	8	30	65	5
SBD or PBD -- 1805	290	12	10	44	71	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1806	259	9	8	43	62	4
SBD or PBD -- 1807	340	30	27	50	65	5+1
SBD or PBD -- 1808	238	8	7	75	25	4
SBD or PBD -- 1809	262	10	9.4	63.7	76	5+2
SBD or PBD -- 181	256	13	11.8	61	72	5+5
SBD or PBD -- 1810	284	22	20.4	73	79	5+1
SBD or PBD -- 1811	355	32	30	48	71	5
SBD or PBD -- 1812	290	11	9.4	66	75	5+1
SBD or PBD -- 1813	316	22	20.4	45	64	4+1
SBD or PBD -- 1815	300	22	20.4	73	79	5+1
SBD or PBD -- 1816	300	20	18.4	66	75	5+1
SBD or PBD -- 1817	276	26	24	45.6	69	5+4
SBD or PBD -- 1819	315	20	18	78.5	96	5+5
SBD or PBD -- 182	290	16	14.8	61	73	5+5
SBD or PBD -- 1820	336	28	26	52	63.5	5
SBD or PBD -- 1821	278	23	21	44.5	63.3	4
SBD or PBD -- 1822	302	32	30	61	98	6+3
SBD or PBD -- 1823	258	22	20	44	61	4+2
SBD or PBD -- 1824	300	26	23	45.5	63	5+1
SBD or PBD -- 1827	328	28	26	73	75	5+1
SBD or PBD -- 1828	330	20	18	71	75	5+1
SBD or PBD -- 1830	251	10	8	40	59	5
SBD or PBD -- 1831	284	22	20	42	59	5
SBD or PBD -- 1832	280	23	21	44.4	69	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 1833	302	26	24	34	66	5+3
SBD or PBD -- 1834	294	22	20.4	45	79	5+1
SBD or PBD -- 1835	297	28	26	52.5	68	5+1
SBD or PBD -- 1836	302	18	16	50.9	120	8
SBD or PBD -- 1837	302	11	9.4	71.5	69	5+2
SBD or PBD -- 1838	344	30	28	76	79	5+1
SBD or PBD -- 1839	274	11	9.5	88.2	30	5
SBD or PBD -- 184	275	22	20	48	70	5+2
SBD or PBD -- 1840	300	20	18	76	75	5+1
SBD or PBD -- 1845	256	26	24	54	68	4
SBD or PBD -- 1848	320	10	8.5	64.8	72.5	5
SBD or PBD -- 1849	320	22	20.5	66.8	72.5	5
SBD or PBD -- 1850	294	22	20.4	44	64	4+1
SBD or PBD -- 187	275	24	22	63	82	5
SBD or PBD -- 188	214	12	11	46	61	4
SBD or PBD -- 189	257	20	18.2	40	59	4+2
SBD or PBD -- 193	278	24	22.6	70	95	6
SBD or PBD -- 194	298	24	22	70.2	102	5
SBD or PBD -- 197	290	12.5	11.6	62	101	5+5
SBD or PBD -- 198	247	8	7	20.5	71	4+2
SBD or PBD -- 202	253	10.1	8.9	33	63.5	4
SBD or PBD -- 203	283	24	22.5	55	63.5	4
SBD or PBD -- 206	260	10	8	69	65.5	5
SBD or PBD -- 207	278	24	22	36	63.5	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 208	273	20	18	43	63.5	4
SBD or PBD -- 209	257	22	20.6	35	88	6
SBD or PBD -- 210	286	12	10.4	51	79	5+1
SBD or PBD -- 211	286	21.9	20.4	51	79	5+1
SBD or PBD -- 212	280	9.9	8.4	60	75	5+1
SBD or PBD -- 213	234	11	10	47	56	4+3
SBD or PBD -- 215	257	22	20.2	51	59	4+2
SBD or PBD -- 219	273	10.3	8.9	33	63.5	4
SBD or PBD -- 220	242	19.1	17.2	41	86	4
SBD or PBD -- 226	255	20	18.4	45	86	6
SBD or PBD -- 228	235	22	20	45	55	4+1
SBD or PBD -- 231	256	20	18	21	86	6
SBD or PBD -- 233	262	22	20	45	67	5+3
SBD or PBD -- 234	303	16	14.4	83	85	5
SBD or PBD -- 235	278	22	19.4	68.5	80	5+5
SBD or PBD -- 237	257	22	20	49	68	4+2
SBD or PBD -- 240	242	20	18	49	68	4+2
SBD or PBD -- 241	256	20	17	41	60	4+3
SBD or PBD -- 245	258	20.6	18	41	61	4+2
SBD or PBD -- 247	280	23.5	21.5	44	68	4+2
SBD or PBD -- 250	280	25	23	43	68	4+2
SBD or PBD -- 251	272	11	9.8	50.5	108	5
SBD or PBD -- 254	212	10	9	28.5	65	4
SBD or PBD -- 255	212	18	15.5	37	65	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 257	290	10	9	46	107	5+2
SBD or PBD -- 258	250	18.5	16.5	47	64	4+4
SBD or PBD -- 259	290	10	9	46	107	5+2
SBD or PBD -- 262	255	22	21	48	54	5+3
SBD or PBD -- 265	255	25	24	48	54	5
SBD or PBD -- 266	243	18	17	48	54	4+2
SBD or PBD -- 267	238	22	21	48	54	4+2
SBD or PBD -- 269	258	20	19	26	76	4
SBD or PBD -- 272	238	18	17	49	54	4+2
SBD or PBD -- 273	234	18	17	38	64	4
SBD or PBD -- 274	226	16	15	42	54	4+2
SBD or PBD -- 275	255	20	19	42	74	4
SBD or PBD -- 276	257	25	24	45	84	5
SBD or PBD -- 277	280	22	20	39	64	4+1
SBD or PBD -- 278	256	12.9	11	39	65	4+1
SBD or PBD -- 279	280	22	20	28	65	5+1
SBD or PBD -- 281	277	12.5	11.5	30	96	5+5
SBD or PBD -- 282	277	18	17	33	96	5
SBD or PBD -- 283	240	20	18.2	47	59	4+2
SBD or PBD -- 284	251.5	10	9	51	59	4+2
SBD or PBD -- 288	250	10	8	21	62	6
SBD or PBD -- 290	250	10	8	21	62	6
SBD or PBD -- 294	250	22	20	37	81	6
SBD or PBD -- 297	295	20	18	29	104	6



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 298	258	10	9	29	57	3+1
SBD or PBD -- 299	257	9	7.5	44	68	4+2
SBD or PBD -- 301	260	24.3	22.2	44	63.5	4
SBD or PBD -- 302	258	16	13	58	66	5+1
SBD or PBD -- 304	254	24	22.2	43	78.5	5
SBD or PBD -- 305	270	24	22.2	43	78.5	5
SBD or PBD -- 306	260	15.9	13	64	68	5+1
SBD or PBD -- 307	280	24	22	65	68	5+1
SBD or PBD -- 308	280	26	24	56	68	5+5
SBD or PBD -- 309	232	10	9	26	66.8	4
SBD or PBD -- 310	219	13	11	37	75	4
SBD or PBD -- 312	258	10	9	45	68	4+2
SBD or PBD -- 313	260	24	22.2	47	63.5	4
SBD or PBD -- 318	265	10	8	53	68	5+5
SBD or PBD -- 319	270	10	8.6	63	63.5	4
SBD or PBD -- 320	245	9.9	8	40	68	4
SBD or PBD -- 323	300	9.9	8.4	61	75	5+2
SBD or PBD -- 324	302	28	26.4	76	79	5+2
SBD or PBD -- 326	300	10	8.4	68	75	5+2
SBD or PBD -- 328	249	10	9	34.5	71	4+2
SBD or PBD -- 332	224	9	8.1	63	71	5+2
SBD or PBD -- 333	290	10	9	40	70	5+2
SBD or PBD -- 334	238	8	7	71	49/52	4
SBD or PBD -- 335	290.8	28.3	27	66	80	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 338	251	10	9	50	59	5+1
SBD or PBD -- 339	234	12	11	45	59	4
SBD or PBD -- 340	260	26	24	37	81	6
SBD or PBD -- 343	302.5	12.5	11.5	48	100	6+2
SBD or PBD -- 344	238	8	7	75	52/48	4
SBD or PBD -- 349	240	21	19	45	60	4+4
SBD or PBD -- 350	262	21	19	51	64	4+4
SBD or PBD -- 352	260	23	21	34	92	4
SBD or PBD -- 356	250	22	20	91	48/54	4
SBD or PBD -- 358	260	10	9	74	58/48	5
SBD or PBD -- 359	278	9	7.3	54	67	5+2
SBD or PBD -- 360	295	22	19.4	50	67	5+3
SBD or PBD -- 363	258	22	20	33	84	6
SBD or PBD -- 364	277	22	20.4	45	86	6
SBD or PBD -- 365	258	22	20.4	34	84	5
SBD or PBD -- 367	280	22	20	49	68	5+2
SBD or PBD -- 368	280	26	24	57	68	5+2
SBD or PBD -- 377	239	10	8	49	61	4+4
SBD or PBD -- 378	255	20	18.4	34	84	5
SBD or PBD -- 384	256	22	20	56	68	4
SBD or PBD -- 386	276	25	23	56	68	4
SBD or PBD -- 387	256	13	11	56	68	4
SBD or PBD -- 388	288	15	13	46.5	68	5
SBD or PBD -- 389	288	25	23	46	68	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 390	245	10	8	64	68	5
SBD or PBD -- 393	269	20	18	46	68	5
SBD or PBD -- 395	247	10	9	33	57	3+1
SBD or PBD -- 396	283	26	24	48	70	5+2
SBD or PBD -- 399	290	12	9.8	60	67	5+2
SBD or PBD -- 401	284	22	20	45	66	5+3
SBD or PBD -- 403	278	9	7.8	58	67	5+2
SBD or PBD -- 404	320	30	27.4	82	67	5+5
SBD or PBD -- 405	300	22	19.4	60	67	5
SBD or PBD -- 409	324	30	28.4	77	79	5+2
SBD or PBD -- 410	324	12	10.4	61	75	5+2
SBD or PBD -- 413	238	8	7	75	52/48	4
SBD or PBD -- 415	258	16	13	95	68/45	5
SBD or PBD -- 424	253	12	11	54	66	4+2
SBD or PBD -- 425	231	10	9	47	60	4+1
SBD or PBD -- 429	298	28	26	45	107	5
SBD or PBD -- 431	298	28	26	74	103	5+4
SBD or PBD -- 432	296	28	25	58	70	5+1
SBD or PBD -- 435	253	20	18	44	63	4
SBD or PBD -- 437	236	10	9	40	56	4+3
SBD or PBD -- 444	260	10	8	69	57	4+2
SBD or PBD -- 445	226	10	8	71	40/52	5
SBD or PBD -- 446	257	22	20	34	85	4
SBD or PBD -- 450	251	9	7	35	55	4+3



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 459	256	24	22.4	45	69	4+2
SBD or PBD -- 465	267	22	20	39	100	6
SBD or PBD -- 468	298	28	26	80	103	5+4
SBD or PBD -- 470	238	8	7	74.5	52	4
SBD or PBD -- 472	260	24	22	56	58	5+2
SBD or PBD -- 473	240	10	8	35	64	4+4
SBD or PBD -- 474	269	10	9	64	54	5+3
SBD or PBD -- 478	289	20	18	64	100	6
SBD or PBD -- 481	263	24	22	53	96	5
SBD or PBD -- 482	280	22	20.7	77	72	5
SBD or PBD -- 483	253	12	10.5	54	66	5+4
SBD or PBD -- 484	278	24	22	41	95	6
SBD or PBD -- 487	283	22	20	27	66	4+2
SBD or PBD -- 488	224	9	7	57	71	4+1
SBD or PBD -- 489	262	22	19.9	44	60	4+2
SBD or PBD -- 490	262	22	19.8	44	61	5
SBD or PBD -- 491	280	24	21.8	44	61	5+2
SBD or PBD -- 497	265	10.5	9.5	44.5	61	5+2
SBD or PBD -- 503	245	9.9	8	39	68	5
SBD or PBD -- 504	280	22	20	56	68	4
SBD or PBD -- 509	240	10	9	39	54	4+2
SBD or PBD -- 510	262	21	19	45	64	4+4
SBD or PBD -- 511	282	23	21	34	92	4
SBD or PBD -- 512	282	25	23	35	92	4



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 514	260	10	8	43	64	4+4
SBD or PBD -- 516	282	9	7	62	70	5+5
SBD or PBD -- 517	260	23	21	48	64	4+4
SBD or PBD -- 518	282	23	21	48	64	4+4
SBD or PBD -- 520	257	22	20	45	55	4+1
SBD or PBD -- 521	258	24	22	49	72	5+1
SBD or PBD -- 522	235	18	16	45	55	4+1
SBD or PBD -- 523	230	9	8	34	55	4+3
SBD or PBD -- 525	261	9.8	8	40	72	5+1
SBD or PBD -- 526	258	9	8	55	67	5+1
SBD or PBD -- 527	284	22	19.4	43	67	5+1
SBD or PBD -- 528	284	12	10	43	67	5+1
SBD or PBD -- 532	258	9	8	44	68	4+2
SBD or PBD -- 537	234	7	6	40	68	4+2
SBD or PBD -- 540	266	10	8.5	68	58	5+4
SBD or PBD -- 541	277	24	22	57	58	5
SBD or PBD -- 542	266	18	16	67	58	5+2
SBD or PBD -- 546	226	10	9	30	64	4
SBD or PBD -- 548	255	22	21	46	54	5+3
SBD or PBD -- 549	256	24	22.4	45	69	5+8
SBD or PBD -- 551	275	28	26	50	62	5+2
SBD or PBD -- 552	288	10	9	65	62	5+3
SBD or PBD -- 553	277	25	23	47	54	5+3
SBD or PBD -- 556	263	10	9	39	54	4+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 557	258	25	24	48	62	5+2
SBD or PBD -- 558	263	16.5	15	47	62	5+7
SBD or PBD -- 559	291	18	17	68	60	5+3
SBD or PBD -- 560	255	25	23	53	62	5
SBD or PBD -- 561	279	22	20	53	62	5+2
SBD or PBD -- 562	271	25	23	53	62	5
SBD or PBD -- 563	296	32	30	51	62	5
SBD or PBD -- 564	307	16	15	67	62	5
SBD or PBD -- 565	275	28	26	51	60	5
SBD or PBD -- 567	278	13	11.5	86	67	5+2
SBD or PBD -- 568	277	16	13	57	67	5
SBD or PBD -- 569	280	26	23	50	68	4+4
SBD or PBD -- 570	295	9.6	8.4	72	68	4+2
SBD or PBD -- 572	305	26	24	35	104	6
SBD or PBD -- 573	311	32	30	58	105	6
SBD or PBD -- 576	254	20	18	45	61	4+2
SBD or PBD -- 577	302.5	20	19	48	100/168	6+2
SBD or PBD -- 580	272	9.5	7.9	61	75	5+4
SBD or PBD -- 583	256	22	20	40	60	4+3
SBD or PBD -- 584	228	9	8	40	60	4+1
SBD or PBD -- 586	276	24	22.4	45	69	4+4
SBD or PBD -- 587	256	24	22.4	34	86	4
SBD or PBD -- 589	242	19	18	37	86	4
SBD or PBD -- 591	295	9.6	8.4	72	68	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 592	280	26	24	37	88	6+3
SBD or PBD -- 593	280	26	24.6	37	88	6+3
SBD or PBD -- 594	313	18	16	80	100	6+1
SBD or PBD -- 599	286	24	21	58.5	70	5
SBD or PBD -- 600	286	12	10	67	65.5	5
SBD or PBD -- 602	235	12.2	10	45	55	4+1
SBD or PBD -- 603	296	30	28.4	45	69	5+2
SBD or PBD -- 604	284	20	18.4	52	90	5+3
SBD or PBD -- 605	285	25	23	58	105	6
SBD or PBD -- 607	302	22	21	53	60	5+2
SBD or PBD -- 608	255	28	26	49	62	5+2
SBD or PBD -- 609	255	22	20	48	55	4+2
SBD or PBD -- 611	255	25	24	42	74	4
SBD or PBD -- 613	255	25	23	50	55	5+2
SBD or PBD -- 614	255	28	27	49.5	55	5
SBD or PBD -- 616	269	9	8	65	55	5+3
SBD or PBD -- 617	231	9	7	37	56	4+3
SBD or PBD -- 618	288	25	23	29	65	5+1
SBD or PBD -- 619	282	18	15	65	68	5+1
SBD or PBD -- 621	282	20.2	19	60.6	90	5+4
SBD or PBD -- 622	289	20	18.6	100	103	5+5
SBD or PBD -- 627	276	25	23	59.5	68	5
SBD or PBD -- 628	269	20	18	60	68	10
SBD or PBD -- 633	300	10	8.4	95	75	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 635	315	18	16.4	84	108	6+2
SBD or PBD -- 637	256	26	24	45	61	4+2
SBD or PBD -- 638	258	9	8	44	68	4+2
SBD or PBD -- 643	257	26	24	52	68	5+2
SBD or PBD -- 644	266	9	8	65	68	4+3
SBD or PBD -- 646	280	30	28	54	68	5+2
SBD or PBD -- 647	297	18	16	64	68	5+3
SBD or PBD -- 648	294	25	22.4	50	67	5+3
SBD or PBD -- 654	300	22	19.4	58	67	5+2
SBD or PBD -- 659	281	26	24.2	54	59	5
SBD or PBD -- 674	236	18	16	45	64	4+2
SBD or PBD -- 675	274	28	26	52	72	5+1
SBD or PBD -- 676	286	9.5	7.5	58	72	5+2
SBD or PBD -- 679	266	18	16.4	66	90	5+3
SBD or PBD -- 681	262	10	8.4	59	90	4+3
SBD or PBD -- 684	234	13	11.4	34	86	4
SBD or PBD -- 685	255	10.5	9.5	30.5	66	4+2
SBD or PBD -- 689	240	12	10	43	63.5	4
SBD or PBD -- 692	231	17	15	50	64	4+4
SBD or PBD -- 693	287	17	15	46	107	5+2
SBD or PBD -- 694	311	18	16	102	106	6+3
SBD or PBD -- 695	275	30	28	48	62	5+2
SBD or PBD -- 696	281	22	21	47	62	5+7
SBD or PBD -- 697	230	16	15	44	55	4+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 698	238	18	17	42.5	55	4+2
SBD or PBD -- 704	239	9	8	48	61	4+4
SBD or PBD -- 708	280	13	11	46	68	5
SBD or PBD -- 709	245	10	8	84	45/52	5
SBD or PBD -- 710	245	10	8	48	68	5
SBD or PBD -- 711	269	20	18	64	68	10
SBD or PBD -- 713	314	30	28	59.5	68	10
SBD or PBD -- 727	276	19	17.4	60	75	5+1
SBD or PBD -- 732	315	28	26.4	76	79	5+3
SBD or PBD -- 733	300	20	18.4	61	75	5+7
SBD or PBD -- 737	316	28	26.4	77	79	5+2
SBD or PBD -- 738	334	32	30.4	77	79	5+2
SBD or PBD -- 739	328	20	18.4	61	75	5+2
SBD or PBD -- 740	324	30	28.4	77	79	5+2
SBD or PBD -- 743	281	26	24.2	43.5	59	5
SBD or PBD -- 744	295	10	8	56	59	5
SBD or PBD -- 745	280	18	15.9	65.5	73	5
SBD or PBD -- 746	280	24	21.9	65.5	73	5
SBD or PBD -- 747	300	24	21.9	65.5	80	5
SBD or PBD -- 749	275	28	26	49.5	55	5+2
SBD or PBD -- 750	269	10	9	64.7	55	5
SBD or PBD -- 751	272	12.6	10.7	68.4	82	4+2
SBD or PBD -- 752	267	9.4	7.5	65	70	4+4
SBD or PBD -- 754	312	18	16	67	106	6+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 755	285	28	26	45	84	5
SBD or PBD -- 756	239	10	8	33	65	4+1
SBD or PBD -- 757	282	24	22.4	38	73.5	5
SBD or PBD -- 758	280	22	20	49	68	4
SBD or PBD -- 760	278	24	22.2	47	64	4
SBD or PBD -- 763	305	20	18.5	68	74	5
SBD or PBD -- 767	265	10	8.4	71	68	5
SBD or PBD -- 768	240	10	8	43	66/120	4+2
SBD or PBD -- 769	288	25	23	43	70	5+3
SBD or PBD -- 770	286	10	8	70	65	5+2
SBD or PBD -- 771	325	28.5	27	49.5	73.8	5
SBD or PBD -- 773	239	18	17	35	65	4+1
SBD or PBD -- 774	284	22	20	40	59	5+1
SBD or PBD -- 775	257	20	18	41	59	5+1
SBD or PBD -- 776	240	11	9.2	40	59	5+1
SBD or PBD -- 777	257	20	18.2	41	59	5+1
SBD or PBD -- 780	236	13	12	49	62	4+1
SBD or PBD -- 782	270	10	8	70	56	4+3
SBD or PBD -- 783	288	25	22.4	46	67	5+1
SBD or PBD -- 786	290	10	8.3	55	67	5+2
SBD or PBD -- 787	316	28	25.4	46	67	5+1
SBD or PBD -- 788	276	22	19	76	85	5+1
SBD or PBD -- 789	258	12	10	96	85	5+2
SBD or PBD -- 790	276	22	19	76	85	5+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 791	272	16	14	96	85	5+2
SBD or PBD -- 792	272	10	8.4	78	75	5+1
SBD or PBD -- 795	210	16	15	37	70	4
SBD or PBD -- 796	236	12.9	11.4	46.5	62	4+1
SBD or PBD -- 797	253	20	18	44	63.5	5
SBD or PBD -- 798	260	24	22	28	66	4+2
SBD or PBD -- 799	282.5	26	24	28	66	4+2
SBD or PBD -- 800	290	10	8	60	71	4
SBD or PBD -- 803	304	30	26	120	157	6
SBD or PBD -- 805	278	9	7.3	54	67	5+2
SBD or PBD -- 806	254	18	17	43	55	4+2
SBD or PBD -- 809	297	25	22	64	70	5
SBD or PBD -- 810	304	12.6	11.7	62	70	5
SBD or PBD -- 811	296	22	20.4	76	79	5+1
SBD or PBD -- 817	282	23	21	47	70	5+4
SBD or PBD -- 820	276	27	25.4	45	87	6+2
SBD or PBD -- 821	256	20	18	45	55	4+1
SBD or PBD -- 823	232	18	16	45.5	61	4+2
SBD or PBD -- 824	247	18	16	45	61	4+2
SBD or PBD -- 825	240	10	8	33	58	4+4
SBD or PBD -- 826	316	18	16	80	111	6+3
SBD or PBD -- 829	235	20	18	50	60	4+2
SBD or PBD -- 831	311	22	20	46.5	107	5+2
SBD or PBD -- 833	335	18	16	103	106	6+3



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 837	234	13	11.4	45	64	4+2
SBD or PBD -- 840	300	28	25.4	46.5	67	5+1
SBD or PBD -- 841	280	24	22	47	64	4+4
SBD or PBD -- 844	251	9	8	34.5	72	5+1
SBD or PBD -- 846	260	10	8.4	41	64	4+2
SBD or PBD -- 847	253	24	22.4	39	87	5
SBD or PBD -- 849	285	28	26	45	84	6
SBD or PBD -- 850	255	25	23	49	55	5+2
SBD or PBD -- 851	242	18	16	53	58	5+2
SBD or PBD -- 853	284	24	22	50	96	5+4
SBD or PBD -- 857	288	25	21	55	68	5+1
SBD or PBD -- 858	268	10	8	45	68	5+1
SBD or PBD -- 859	298	10	8.4	61	75	5
SBD or PBD -- 860	298	20	18.4	61	75	5
SBD or PBD -- 861	251	12	10.8	62	71	4
SBD or PBD -- 862	253	20	18.4	28	84	5
SBD or PBD -- 863	290	22	19	110	68	6
SBD or PBD -- 864	289	22	19	84	84	8
SBD or PBD -- 865	276	22	19	60	67	5
SBD or PBD -- 866	280	10	8	63	67	5
SBD or PBD -- 867	262	13	11	44	64.2	4
SBD or PBD -- 869	260	10	8.4	41	90	4
SBD or PBD -- 872	212	9	7.5	18	65	4
SBD or PBD -- 874	256	22	19	37	65	5+1



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 875	288	25	22	34	65	5+5
SBD or PBD -- 876	280	22	19	35	65	5+1
SBD or PBD -- 877	232	9	7	40	65	5+1
SBD or PBD -- 878	272	10	8	83	75	5
SBD or PBD -- 879	261	22	20.4	38	61	5
SBD or PBD -- 880	282	22	20.4	38	73.5	5
SBD or PBD -- 881	257	20	18.4	38	61	5
SBD or PBD -- 882	270	9	8.5	53	57	5
SBD or PBD -- 883	280	24	22.7	81.5	72	5
SBD or PBD -- 884	284	11	9	60	72	5
SBD or PBD -- 885	266	13	11	27	66	4
SBD or PBD -- 887	288	28	26	34	66	4
SBD or PBD -- 888	286	26	24.5	66	72	5
SBD or PBD -- 889	285	12	10	58	70	5
SBD or PBD -- 890	305	28	26	49.5	73.8	5
SBD or PBD -- 892	214	15	13	46	61	4
SBD or PBD -- 893	280	26	24	49	68	5+2
SBD or PBD -- 894	278	9	8	45	68	5
SBD or PBD -- 895	278	32	30.7	52	70	5
SBD or PBD -- 896	279	11	10	51	70	5
SBD or PBD -- 903	315	16.5	14.5	60	55	5+3
SBD or PBD -- 905	315	28	26.4	52.5	79	5
SBD or PBD -- 907	301.5	18	16	46	62	5
SBD or PBD -- 909	300	30	28	43	71	5



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 910	280	22	20	46	68	5
SBD or PBD -- 911	283	25	23	47	68	5
SBD or PBD -- 912	283	10	8	62	68	5
SBD or PBD -- 916	304	28	26	45	59	5+1
SBD or PBD -- 917	304	28	26	45	59	4+2
SBD or PBD -- 918	245	10	8	54	68	5
SBD or PBD -- 919	260	12	10	40	67	5
SBD or PBD -- 920	260	22	19.4	40.5	67	5
SBD or PBD -- 921	303	26	23	51.5	67	5
SBD or PBD -- 922	285	15	13	54	67	5+1
SBD or PBD -- 923	256	11	8	41	60	4+3
SBD or PBD -- 924	256	24	21	41	60	4+3
SBD or PBD -- 925	280	25	22	42	70	5+3
SBD or PBD -- 926	240	10	8	42.7	57	4
SBD or PBD -- 928	298	24	22	68	98	5+4
SBD or PBD -- 929	292	20	18	68	98	5+4
SBD or PBD -- 931	290	12	10.3	57	67	5+1
SBD or PBD -- 932	282	18	15	55	68	5+1
SBD or PBD -- 933	280	24	22	55	68	5+1
SBD or PBD -- 934	280	12	10	40	68	5
SBD or PBD -- 935	312	20	18.4	60	75	5+1
SBD or PBD -- 940	320	30	28	51	67	5+3
SBD or PBD -- 941	304	32	30	72	102	5+3
SBD or PBD -- 944	302	26	23	51	68	5



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)




D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 945	243	20	18	42	57	4
SBD or PBD -- 946	247	13	11	34	66	4
SBD or PBD -- 947	261	14	11	51	66	5+2
SBD or PBD -- 948	281	15	13.2	44.5	59	5+1
SBD or PBD -- 949	258	10	9	43	76	4
SBD or PBD -- 950	258	22	20	43.5	63.5	4
SBD or PBD -- 951	273	16	14	37	67	5+2
SBD or PBD -- 953	260	9	7	43	64	5+4
SBD or PBD -- 955	260	12	11	60	90	4
SBD or PBD -- 956	278	24	22.5	40.5	88	6
SBD or PBD -- 957	299	10.4	9	67.6	105.6	6
SBD or PBD -- 958	288	20	18.5	32.5	64.5	5
SBD or PBD -- 959	245	20	18	50	60	4+2
SBD or PBD -- 961	232	17	15	49	60	4+2
SBD or PBD -- 962	320	22	20	70	108	6
SBD or PBD -- 965	284	22	19	38	64.2	5+1
SBD or PBD -- 966	280	10	8	62.5	64.2	5+1
SBD or PBD -- 969	286	10	8	70	65	5+2
SBD or PBD -- 970	280	24	22.4	45	69	4+2
SBD or PBD -- 971	312	25	23	34	65	5+1
SBD or PBD -- 972	256	22	20	36	65	5+1
SBD or PBD -- 973	345	32	30	51	67	5
SBD or PBD -- 974	331	14	12	55	67	5
SBD or PBD -- 975	256	24	22.4	45	64	4+2



A - Diameter (mm)
 B - Thickness (mm)
 C - Minimum Thickness (mm)



D - Height (mm)
 E - Bore (mm)
 F - Mounting hole arrangement

Part Number	A	B	C	D	E	F
SBD or PBD -- 976	300	22	20.4	51.5	79	5
SBD or PBD -- 977	294	19	17	55.1	75	5+1
SBD or PBD -- 978	294	24	22.4	45.6	69	5+2
SBD or PBD -- 979	320	32	29.8	43.5	69	5+2
SBD or PBD -- 980	275	20	19	20	85	4
SBD or PBD -- 981	236	12.5	9.7	35.5	86	4
SBD or PBD -- 982	256	24	22	47	60	4+3
SBD or PBD -- 983	258	11	9	64	57.6	4+1
SBD or PBD -- 984	230	11	9.4	43.7	67	4
SBD or PBD -- 985	308	12	10	65	62	5+2
SBD or PBD -- 987	315	28	26	53	62	5+12
SBD or PBD -- 989	260	25	23	49.2	55	5
SBD or PBD -- 990	235	18	16	43.1	55	4
SBD or PBD -- 991	255	10	8	48	68	5
SBD or PBD -- 992	285	22	20	93	120	6
SBD or PBD -- 994	294	24.5	22.1	43	82	5
SBD or PBD -- 995	255	20	18	43.1	55	4
SBD or PBD -- 996	230	11	9.4	44.8	67	4
SBD or PBD -- 999	265	10.5	9.5	54.3	66	5